

C-Range



Range
A

Range
B

Range
C

Range
D

Compartmentalised Washer Disinfector

BMM WESTON

Sterilizers

C RANGE

This UK manufactured range of washer/ disinfector/ dryers offers unparalleled quality in performance, build standard and versatility. Compliant with ISO 15883:2006

The C-range is at the forefront of washer / disinfector / dryer technology. Available in 2, 3, 4 & 5 module versions with 16 fully adjustable programmes this microprocessor controlled machine maintains maximum flexibility and versatility while its comprehensive monitoring and self-diagnostic systems provide welcome reassurance in terms of performance and safety. In addition to their impressive cycle program capacity C-range machines are available in 10 & 15 din chamber capacity versions.

Flexibility and Versatility

The C-range brings advanced levels of washing, disinfection and drying to Surgical Instruments, Hollow ware, Theatre Trays, Anaesthetic Equipment, Rigid Endoscopes, Transit Boxes, Theatre Footwear and Laboratory Glassware.

Meeting Standards

The C-range complies with all European safety legislation and carries the CE Mark. Most importantly it incorporates current standards relating to the performance, safety and build quality of washer/disinfectors.

Process Validation/Verification

A comprehensive range of options is available in line with the requirements of HTM2030, including a fully-integrated system designed to download verification and process data direct to a PC.

Automation

The C-range of machines can be supplied with an automated conveyor system. This fully integrated system will automatically load and unload single or multiple machines. It will also select the correct programme for the load.

A Complete Solution

Hospitals need complete solutions from their suppliers. That is why BMM Weston provides a range of ancillary products including additives, detergents and a variety of baskets to suit individual requirements. A full range of water treatment systems is available to meet individual customer's needs.


Loading equipment

BMM weston can provide various loading equipment solutions to suit your requirements. Manual / Auto load & unload in full Stainless Steel.

Features

The C-range comprises 2, 3, 4 & 5 module models with the options for steam, electrically heated. The full range brings advanced levels of washing, disinfection and drying to:

- Surgical Instruments
- Holloware
- Theatre Trays
- Anaesthetic Equipment
- Rigid Endoscopes
- Transit Boxes
- Theatre Footwear
- Laboratory Glassware



C RANGE

Control & quality All-in-one



C-Range control panel

16 fully adjustable programmes this microprocessor controlled machine maintains maximum flexibility and versatility while its comprehensive monitoring and self-diagnostic systems provide welcome reassurance in terms of performance and safety.

TYPE 2 Automated Washer Disinfector with Ultra Sonic

Below diagram shows a 4 Module chamber washer, C15/4u -S.

- Module 1: Pre Wash
Wash
- Module 2: Ultrasonic wash
- Module 3: Post Rinse
Thermal Disinfection
- Module 4: Drying



The wide range of machines available ensures there is a model to suit all requirements at competitive prices

Key features

10/15 DIN capacity
For maximum instrument throughput

16 adjustable programs
Interactive programmes with up to 6 washing levels

Microprocessor control
For maximum efficiency

Self diagnostic system
For safety and security

Electric, steam or dual heated
Wide range of models to suit your needs

Full view glass doors
Double glazed for safety. Available in manual or automatic.

Integral additives store
With automatic monitoring

Ultra efficient integral dryer

Class S air filter

Three dosing pumps
With automatic additive dispensing

Loading systems available

Detergents and Rinse aids
A full range of detergents and rinse aids available

Automatic load/unload available

Compatible load carriers
B15 model available
Additional capacity



Our Diverse Range

BMM Weston offer four different varieties to ensure the washing and disinfection of surgical instruments in all laboratory environments.

A RANGE

Type: Single Chamber, Single Ended
Total Internal Volume: 125 litres
Useable Volume: 106 litres
Internal dimensions: 490 x 510 x 500 mm
External dimensions: 830 x 880 x 630 mm
Throughput per cycle: 6 DIN

B RANGE

B10...
Type: Single Chamber, Single & Double Ended
Total Internal Volume: 250 litres
Useable Volume: 210 litres
Internal dimensions: 755 x 845 x 674 mm
External dimensions: 1292 x 1975 x 920 mm
Throughput per cycle: 10 DIN
B15... (as B10 except):
Total Internal Volume: 350 litres
Useable Volume: 320 litres
Internal Dimensions: 755 x 845 x 855 mm
External Dimensions: 1292 x 1975 x 1120 mm
Throughput per cycle: 15 DIN

C RANGE

C10...
Type: Compartmentalised, available with 2-4 modules each with configurable programs
Individual module sizes: As B10
C15... (as C10 except):
Individual module sizes: As B15

D RANGE

Type: Tunnel washer/disinfector, also available in corner configurations if required
Internal Dimensions: 500 x 400 x depth mm
External Dimensions: 750 x 1450 x 5400 mm

C-RANGE Features:

Modular Design - Enabling a choice of individual modules to best suit your needs.

10/15 DIN capacity per module - For maximum instrument throughput.

Sealed system - Removing re-contamination risk.

Glass doors - Allowing entire process and load to be visually monitored.

Super Drying - With HEPA filters fulfilling HTM2030.

Load carriers - Wide range available.

Automatic handling system - Microprocessor controlled.

Optional conveyors - Wide range available.

Program selection system - Automated through load carrier tagging system.

Compatibility - Compatible with separate instrument tracking systems

Validation/verification systems - A wide range available.

Complete HTM2030 adherence.

Integral touch-screen PC.



contact us

t +44 (0) 1795 597115/533441

e sterilizers@bmmweston.co.uk

bmmweston.com/sterilizers

www.bmmweston.com

BMM Weston Limited
Faversham
Kent ME13 7EB
England

BMM WESTON

Sterilizers